Page 3, line 17, after the period, insert «Preferably, the racemic cis-aminoalcohol is obtained.» ;

after such insert at line 17, further insert as a heading «Detailed Description» .

Page 4, line 15, change the subscript "4 - x" to «4 - 1» .

Page 5, line 22, replace "lower aliphatic" with «univalent or polyvalent» ;

line 23, replace "lower aliphatic" with «univalent C_{1-6}» ,

replace "may be" with «can be chosen from»

line 25, replace the first comma with «and» ,

after "n-butanol" insert a period followed by «The polyvalent C_{1-6} alcohol can be chosen from» ;

lines 26-27, delete "lower aliphatic" ;

lines 27-28, delete "lower aliphatic" ;

Page 6, line 11, replace "a" with «one or more» ,

replace "atom" with «atoms» ;

after line 19, insert «In the following, substituted phenyl or benzyl is taken to mean phenyl or benzyl substituted with one or more halogen atoms such as chlorobenzyl, dichlorobenzyl, bromophenyl of dibromophenyl.»

Page 7, line 11, replace "lower aliphatic" with «C_{1-6}» ;

line 18, after "aminoalcohol", insert a comma followed by «preferably the cis-racemic,» .

Page 10, line 15, replace "lower aliphatic" with «C_{1-6}» .

Page 10, line 17, replace "lower aliphatic" with «C_{1-6}» ;

line 25, replace "a lower aliphatic" with «the C_{1-6}» .

Page 13, line 16, change "VIII" to «XI» , and "IX" to «XII».

Page 14, line 7, replace "lower aliphatic" with «C_{1-6}» ;

line 12, change "XI" to «XIV» and "XII" to «XV» ;

line 14, change "VIII" to «XI» and "IX" to «XII» .

Page 16, line 5, before "(±)" insert «cis» ;

line 26, after "cis" insert «(±)» .

Page 17, line 5, before "(+)" insert «cis» ;

line 20, before "(+)" insert «cis» ;

line 23, before "(-) insert «cis» .

Page 18, line 3, before "(-)" insert «cis» ;

line 8, before "(±)" insert «cis» ;

line 21, before "(±)" insert «cis» .

Page 19, line 4, before "(±)" insert «cis» ;

line 7, before "(±)" insert «cis» ;

line 16, replace "alcohol Y" with «additive Y such as alcohol or water» .

Page 20, line 2, i.e. the first line after the table, before "(±)" insert «cis» ;

line 4, replace "Using the procedure of Example 1.7" with «The reaction was carried out under the same

conditions as mentioned in Example 1.7 with the exception
that, instead of the additive Y .

Page 21, line 2, i.e. the first line after the table, before
"(±)" insert «cis» ;

    lines 4-5, replace "Using the procedure of Example
1.7, the reaction was carried out in" with «The reaction
was carried out under the same conditions as in Example 1.7
with the exception that the additive Y was replaced by
addition of 1.1 g methanol, and diosan as solvent was
replaced by .

Page 22, line 2, i.e. the first line after the table, before
"(±)" insert «cis» ;

    line 4, replace "Following the procedure of Example
1.7" with «The reaction was carried out under the same
conditions as in Example 1.7 with the exception that instead
of additive Y, 2.5 mol methanol was used and .

Page 23, line 2, i.e. the first line after the table,
replace "(1R,4S)- and (1S,4R)" with «cis(+)- or cis(-)» ;

N/E line 7, replace "(+)" with «(+)- or (-)» .

Page 27, line 1, before "(±)" insert «cis» ;

    line 5, replace "alcohols" with «additives such as
alcohols or water» ;

    line 10, before "(±)" insert «cis» .

Page 28, line 24, before "1-amino" insert «cis-» .